

## Dimmerkompatibilitätsliste

### Leuchtmittel (LO-FROILLU14-5WD, LO-FILKER-5WD, LO-FILAGL-7WD, LO-FILAGL-9WD)

Spalte1 ▶ dimmbar ab 1 Lampe | Spalte2 ▶ dimmbar ab 4 Lampen

Dimmer	LO-FROILLU14-5WD		LO-FILKER-5WD		LO-FILAGL-7WD		LO-FILAGL-9WD	
ABB STD 50-3 L	78-0%	100-0%	78-100%	100-0%	91-0%	100-1%	96-17%	95-17%
Altenburger 50,3	97-0%	81-0%	97-0%	81-0%	88-0%	X	93-24%	90-8%
Aurora DSP400 L	60-0%	88-0%	60-0%	88-0%	91-0%	98-0%	58-0%	95-0%
Berker 2861U	98-0%	82-0%	98-0%	82-%	X	X	X	X
Bticino L/N/NT4411N	X	X	X	X	79-0%	83-0%	96-10%	96-0%
Bticino L/N/NT4408	77-0%	X	77-0%	X	X	X	X	X
Bticino NT4402N R	X	100-0%	X	100-0%	X	X	91-21%	92-21%
Busch & Jäger 6513 U-102 T	100-0%	100-0%	100-0%	100-0%	93-0%	94-0%	X	93-18%
Busch & Jäger 6523 U-102 T	98-0%	100-0%	98-0%	100-0%	70-0%	72-0%	100-34%	95-15%
Busch & Jäger 2250U L	22-0%	X	22-0%	X	X	92-0%	87-1%	97-0%
Busch & Jäger 6526U	95-0%	95-0%	95-0%	95-0%	X	X	X	X
Century Control Multi Dimmer U	84-0%	98-0%	84-0%	98-0%	88-0%	98-0%	91-3%	97-0%
DimMax 420SL L/T	89-0%	74-0%	89-0%	74-0%	91-0%	93-0%	100-2%	100-2%

## Dimmerkompatibilitätsliste

### Leuchtmittel (LO-FROILLU14-5WD, LO-FILKER-5WD, LO-FILAGL-7WD, LO-FILAGL-9WD)

Spalte1 ▶ dimmbar ab 1 Lampe | Spalte2 ▶ dimmbar ab 4 Lampen

Dimmer	LO-FROILLU14-5WD		LO-FILKER-5WD		LO-FILAGL-7WD		LO-FILAGL-9WD	
Dinuy RE EL1 LE1 LED	85-0%	85-0%	85-0%	85-0%	93-1%	99-1%	99-26%	100-26%
Elko 400GLI	X	100-0%	X	100-0%	69-0%	69-0%	83-0%	91-6%
Elko 315GLE T	X	99-0%	X	99-0%	X	X	X	X
Elko 600GLE/I	X	100-0%	X	100-0%	85-0%	75-0%	93-0%	96-14%
Elko 600GLi U	89-0%	83-0%	89-0%	83-0%	79-0%	78-0%	91-0%	94-6%
Elko 420GLE/I U	88-0%	100-0%	88-0%	100-0%	88-0%	X	98-7%	96-5%
Elko 1000LRI	X	88-0%	X	88-0%	90-0%	99-0%	100-0%	99-0%
Elko 630GLE U	97-0%	88-0%	97-0%	88-0%	X	X	92-23%	92-14%
Eltako EUD61NPN-UC R/L/C	85-0%	85-0%	85-0%	85-0%	94-0%	99-0%	89-0%	88-0%
Feller 40200.LEDxxx	98-0%	99-0%	98-0%	99-0%	X	X	91-14%	88-10%
Feller 40600RLC U	X	100-0%	X	100-0%	85-0%	75-0%	93-0%	96-14%
Feller 40600.RC	97-0%	88-0%	97-0%	88-0%	X	X	92-23%	92-14%
Feller 40600.RL	89-0%	83-0%	89-0%	83-0%	79-0%	78-0%	91-0%	94-6%

## Dimmerkompatibilitätsliste

### Leuchtmittel (LO-FROILLU14-5WD, LO-FILKER-5WD, LO-FILAGL-7WD, LO-FILAGL-9WD)

Spalte1 ▶ dimmbar ab 1 Lampe | Spalte2 ▶ dimmbar ab 4 Lampen

Dimmer	LO-FROILLU14-5WD		LO-FILKER-5WD		LO-FILAGL-7WD		LO-FILAGL-9WD	
Feller 40420.RLC	88-0%	100-%	88-0%	100-0%	88-0%	X	98-7%	96-5%
Feller 31000	X	88-0%	X	88-0%	90-0%	99-0%	100-0%	99-0%
Gira 226200	80-0%	100-0%	80-0%	100-0%	79-0%	83-0%	96-20%	96-3%
Gira 030700 T	100-0%	100-0%	100-0%	100-0%	93-0%	94-0%	92-21%	90-11%
Gira 117600 U	100-0%	99-0%	100-0%	99-0%	X	X	X	X
Gira 238500	100-0%	100-0%	100-0%	100-0%	X	X	X	X
Gira 217400 KNX-U	81-0%	83-0%	81-0%	83-0%	93-0%	99-19%	97-18%	95-10%
Hager WUD87 LED-U	82-0%	100-%	82-0%	100-0%	88-0%	X	88-21%	89-11%
Hamilton KP1X40	75-0%	100-0%	75-0%	100-0%	92-0%	X	X	X
Hugo Müller paladin 872110 led	85-0%	85-0%	85-0%	85-0%	93-1%	99-1%	99-26%	100-26%
Jung 225 NVDE L	80-0%	100-0%	80-0%	100-0%	79-0%	83-0%	96-20%	96-3%
Jung 225 TDE	100-0%	100-0%	100-0%	100-0%	93-0%	94-0%	92-21%	90-11%
Jung 254 UDIE1	100-0%	99-0%	100-0%	99-0%	X	X	X	X

## Dimmerkompatibilitätsliste

### Leuchtmittel (LO-FROILLU14-5WD, LO-FILKER-5WD, LO-FILAGL-7WD, LO-FILAGL-9WD)

Spalte1 ▶ dimmbar ab 1 Lampe | Spalte2 ▶ dimmbar ab 4 Lampen

Dimmer	LO-FROILLU14-5WD		LO-FILKER-5WD		LO-FILAGL-7WD		LO-FILAGL-9WD	
Jung 1224 LEDUDE LED	100-0%	100-0%	100-0%	100-0%	X	X	X	X
Jung 3904 REGHE	81-0%	83-0%	81-0%	83-0%	X	X	97-18%	95-10%
Legrand 665114 U	X	X	X	X	79-0%	83-0%	96-10%	96-0%
Legrand 574319/574339 U	X	X	X	X	79-0%	83-0%	96-10%	96-0%
Legrand 572239/572739 U	X	X	X	X	79-0%	83-0%	96-10%	96-0%
Legrand 078407/079207 U	X	X	X	X	79-0%	83-0%	96-10%	96-0%
Legrand 048869/048871 U	X	X	X	X	79-0%	83-0%	96-10%	96-0%
Legrand 067083/048869 U	X	X	X	X	79-0%	83-0%	96-10%	96-0%
Legrand 770061	81-0%	83-2%	81-0%	83-2%	X	X	X	X
Legrand 099314 RL	X	82-0%	X	82-0%	X	X	X	X
Legrand 770062 RLC	65-0%	100-0%	65-0%	100-0%	83-0%	100-0%	85-0%	85-0%
Legrand 078405 RL	77-0%	X	77-0%	X	X	X	X	X
Master DM-DGL U/LED	77-0%	85-0%	77-0%	85-0%	88-30%	99-43%	97-45%	100-45

## Dimmerkompatibilitätsliste

### Leuchtmittel (LO-FROILLU14-5WD, LO-FILKER-5WD, LO-FILAGL-7WD, LO-FILAGL-9WD)

Spalte1 ▶ dimmbar ab 1 Lampe | Spalte2 ▶ dimmbar ab 4 Lampen

Dimmer	LO-FROILLU14-5WD		LO-FILKER-5WD		LO-FILAGL-7WD		LO-FILAGL-9WD	
Master DM-2500 U/LED	X	95-0%	X	95-0%	90-0%	98-0%	98-0%	100-0%
Merten MEG5136-0000	X	99-0%	X	99-0%	X	X	X	X
Merten MEG5134-0000	98-0%	99-0%	98-0%	99-0%	X	X	91-14%	88-10%
Merten MEG5139-0000	X	100-0%	X	100-0%	85-0%	75-0%	93-0%	96-14%
Merten MEG5137-0000	97-0%	88-0%	97-0%	88-0%	X	X	92-23%	92-14%
Merten MEG5133-0000	89-0%	83-0%	89-0%	83-0%	79-0%	78-0%	91-0%	94-6%
Merten MEG5138-0000	88-0%	100-0%	88-0%	100-0%	88-0%	X	98-7%	96-5%
Merten MEG5170-0300 U	88-0%	88-0%	88-0%	88-0%	89-0%	X	X	X
Merten MEG 5131 L	64-0%	81-0%	64-0%	81-0%	69-0%	75-0%	92-0%	96-0%
Merten MEG 5132	64-0%	81-0%	64-0%	81-0%	69-0%	75-0%	92-0%	96-0%
Merten MEG 5140 L	58-0%	82-0%	58-0%	82-0%	67-0%	78-0%	84-0%	90-0%
Merten MEG 5135 L	X	88-0%	X	88-0%	90-0%	99-0%	100-0%	99-0%
MK K4501 L	X	100-0%	X	100-0%	94-0%	100-0%	80-3%	88-7%

## Dimmerkompatibilitätsliste

### Leuchtmittel (LO-FROILLU14-5WD, LO-FILKER-5WD, LO-FILAGL-7WD, LO-FILAGL-9WD)

Spalte1 ▶ dimmbar ab 1 Lampe | Spalte2 ▶ dimmbar ab 4 Lampen

Dimmer	LO-FROILLU14-5WD		LO-FILKER-5WD		LO-FILAGL-7WD		LO-FILAGL-9WD	
Nexus 881P-01 L	X	100-0%	X	100-0%	82-0%	96-0%	94-0%	99-0%
Niko 310-01900 U	68-0%	74-0%	68-0%	74-0%	94-0%	100-0%	99-0%	100-0%
Niko 330-00700 U	52-0%	X	52-0%	X	93-1%	100-2%	98-30%	97-29%
Odace S520512	98-0%	99-0%	98-0%	99-0%	X	X	91-14%	88-10%
Odace S520511	89-0%	83-0%	89-0%	83-0%	79-0%	78-0%	91-0%	94-6%
Odace S520515	88-0%	100-0%	88-0%	100-0%	88-0%	X	98-7%	96-5%
Odace S520518	58-0%	82-0%	58-0%	82-0%	67-0%	78-0%	84-0%	90-0%
Osram HTi DALI 315 DIM DALI-T	X	100-0%	X	100-0%	94-0%	94-0%	99-7%	99-7%
Peha 435 HAN L	X	81-0%	X	81-0%	66-0%	78-0%	83-4%	86-2%
Schneider 400GLI T	X	100-0%	X	100-0%	69-0%	69-0%	83-0%	91-6%
Schneider SBD315RC	X	99-0%	X	99-0%	X	X	X	X
Schneider SBD200LED	98-0%	99-0%	98-0%	99-0%	X	X	91-14%	88-10%
Schneider SBD600RCRL	X	100-0%	X	100-0%	85-0%	75-0%	93-0%	96-14%

## Dimmerkompatibilitätsliste

### Leuchtmittel (LO-FROILLU14-5WD, LO-FILKER-5WD, LO-FILAGL-7WD, LO-FILAGL-9WD)

Spalte1 ▶ dimmbar ab 1 Lampe | Spalte2 ▶ dimmbar ab 4 Lampen

Dimmer	LO-FROILLU14-5WD		LO-FILKER-5WD		LO-FILAGL-7WD		LO-FILAGL-9WD	
	Spalte1	Spalte2	Spalte1	Spalte2	Spalte1	Spalte2	Spalte1	Spalte2
Schneider SBD630RC	97-0%	88-0%	97-0%	88-0%	X	X	92-23%	92-14%
Schneider 600RL	89-0%	83-0%	89-0%	83-0%	79-0%	78-0%	91-0%	94-6%
Schneider SBD420RCRL	88-0%	100-0%	88-0%	100-0%	88-0%	X	98-7%	96-5%
Schneider 5170	88-0%	88-0%	88-0%	88-0%	89-0%	X	X	X
Schneider SBD400RL	64-0%	81-0%	64-0%	81-0%	69-0%	75-0%	92-0%	96-0%
Schneider SBDSPL	58-0%	82-0%	58-0%	82-0%	67-0%	78-0%	84-0%	90-0%
Schneider ATTD1000RL	X	88-0%	X	88-0%	90-0%	99-0%	100-0%	99-0%
Shuttle SDIM-T-LED-500W T & LED-T	X	100-0%	X	100-0%	89-0%	99-0%	93-2%	96-2%
Siemens 5TC8 284 T	X	X	X	X	64-0%	58-0%	78-20%	64-3%
Siemens 5WG1-527-1AB31 KNX-U	X	X	85-0%	85-0%	X	X	X	X
Siemens 5WG1-528-1AB31 KNX-U	85-0%	85-0%	X	X	X	X	X	X
theben DIMAX 544 plus P T	93-0%	93-0%	93-0%	93-0%	X	X	X	X
theben DIMAX 534 plus T	100-0%	100-0%	100-0%	100-0%	90-0%	99-0%	100-6%	99-6%

## Dimmerkompatibilitätsliste

### Leuchtmittel (LO-FROILLU14-5WD, LO-FILKER-5WD, LO-FILAGL-7WD, LO-FILAGL-9WD)

Spalte1 ▶ dimmbar ab 1 Lampe | Spalte2 ▶ dimmbar ab 4 Lampen

Dimmer	LO-FROILLU14-5WD		LO-FILKER-5WD		LO-FILAGL-7WD		LO-FILAGL-9WD	
	X	96-0%	X	96-0%	90-0%	99-0%	100-0%	X
Vadsbo LD220 U	X	96-0%	X	96-0%	90-0%	99-0%	100-0%	X
Vari Light HQ3W	52-0%	92-0%	52-0%	92-0%	92-1%	99-1%	85-18%	84-19%
Vari Light JQP401W T	99-0%	100-0%	99-0%	100-0%	X	X	X	X
Vimar 20135 U	X	83-0%	X	83-0%	94-0%	100-0%	97-2%	96-3%
Zano WH401 L	X	100-0%	X	100-0%	X	X	X	X
Zano WH251	74-0%	95-0%	74-0%	95-0%	X	98-0%	67-0%	97-0%
Zano Z GRID 700 LED	100-0%	82-0%	100-0%	82-0%	X	X	X	X
Zano Z GRID 600 T	X	X	X	X	87-0%	98-0%	92-0%	100-0%
Zano Z GRID 500	X	99-0%	X	99-0%	81-0%	96-0%	95-0%	100-0%