

Dimmerkompatibilitätsliste

Leuchtmittel (LO-VINTBIR-7WD, LO-VINTGLOB-7WD, LO-FROGLOB-9WD, LO-FROGLOB-12WD)

Spalte1 ▶ dimmbar ab 1 Lampe | Spalte2 ▶ dimmbar ab 4 Lampen

Dimmer	LO-VINTBIR-7WD		LO-VINTGLOB-7WD		LO-FROGLOB-9WD		LO-FROGLOB-12WD	
2001 63533 T	X	X	X	X	X	X	51-0%	X
ABB STD 50-3 L	91-0%	100-1%	91-0%	100-1%	96-17%	95-17%	95-18%	93-19%
Altenburger 50,3	88-0%	X	88-0%	X	93-24%	90-8%	92-19%	X
Aurora DSP400 T	91-0%	98-0%	91-0%	98-0%	58-0%	95-0%	X	91-0%
Bticino L/N/NT4411N	79-0%	83-0%	79-0%	83-0%	96-10%	96-0%	92-5%	94-0%
Bticino NT4402N R	X	X	X	X	91-21%	92-21%	89-20%	89-21%
Busch & Jäger 6513 U-102 T	93-0%	94-0%	93-0%	94-0%	X	93-18%	93-26%	90-16%
Busch & Jäger 6523 U-102 T	70-0%	72-0%	70-0%	72-0%	100-34%	95-15%	89-0%	92-14%
Busch & Jäger 2250U L	X	92-0%	X	92-0%	87-1%	97-0%	86-0%	95-0%
Century Control Multi Dimmer U	88-0%	98-0%	88-0%	98-0%	91-3%	97-0%	91-1%	95-0%
DimMax 420SL L/T	91-0%	93-0%	91-0%	93-0%	100-2%	100-2%	100-2%	99-2%
Dinuy RE EL1 LE1 LED	93-1%	99-1%	93-1%	99-7%	99-26%	100-26%	99-24%	97-23%
Elko 400GLI	69-0%	69-0%	69-0%	69-0%	83-0%	91-6%	X	88-4%

Dimmerkompatibilitätsliste

Leuchtmittel (LO-VINTBIR-7WD, LO-VINTGLOB-7WD, LO-FROGLOB-9WD, LO-FROGLOB-12WD)

Spalte1 ▶ dimmbar ab 1 Lampe | Spalte2 ▶ dimmbar ab 4 Lampen

Dimmer	LO-VINTBIR-7WD		LO-VINTGLOB-7WD		LO-FROGLOB-9WD		LO-FROGLOB-12WD	
Elko 600GLE/I	85-0%	75-0%	85-0%	75-0%	93-0%	96-14%	91-0%	93-15%
Elko 600GLi U	79-0%	78-0%	79-0%	78-0%	91-0%	94-6%	90-0%	91-8%
Elko 420GLE/I U	88-0%	X	88-0%	X	98-7%	96-5%	96-5%	93-5%
Elko 1000LRI	90-0%	99-0%	90-0%	99-0%	100-0%	99-0%	99-0%	98-0%
Elko 630GLE U	X	X	X	X	92-23%	92-14%	93-19%	88-13%
Eltako EUD61NPN-UC R/L/C	94-0%	99-0%	94-0%	99-0%	89-0%	88-0%	88-0%	87-0%
Feller 40200.LEDxxx	X	X	X	X	91-14%	88-10%	89-14%	85-10%
Feller 40600RLC U	85-0%	75-0%	85-0%	75-0%	93-0%	96-14%	91-0%	93-15%
Feller 40600.RC	X	X	X	X	92-23%	92-14%	93-19%	88-13%
Feller 40600.RL	79-0%	78-0%	79-0%	78-0%	91-0%	94-6%	90-0%	91-8%
Feller 40420.RLC	88-0%	X	88-0%	X	98-7%	96-5%	96-5%	93-5%
Feller 31000	90-0%	99-0%	99-0%	99-0%	100-0%	99-0%	99-0%	98-0%
Gira 226200	79-0%	83-0%	79-0%	83-0%	96-20%	96-3%	92-14%	94-3%

Dimmerkompatibilitätsliste

Leuchtmittel (LO-VINTBIR-7WD, LO-VINTGLOB-7WD, LO-FROGLOB-9WD, LO-FROGLOB-12WD)

Spalte1 ▶ dimmbar ab 1 Lampe | Spalte2 ▶ dimmbar ab 4 Lampen

Dimmer	LO-VINTBIR-7WD		LO-VINTGLOB-7WD		LO-FROGLOB-9WD		LO-FROGLOB-12WD	
Gira 030700 T	93-0%	94-0%	93-0%	94-0%	92-21%	90-11%	92-19%	87-11%
Gira 217400 KNX-U	93-0%	99-19%	93-0%	99-19%	97-18%	95-10%	97-16%	93-10%
Hager WUD87 LED-U	88-0%	X	88-0%	X	88-21%	89-11%	87-18%	89-12%
Hamilton KP1X40	92-0%	X	92-0%	X	X	X	X	X
Hugo Müller paladin 872110 led	93-1%	99-1%	93-1%	99-1%	99-26%	100-26%	99-24%	97-23%
Jung 225 NVDE L	79-0%	83-0%	79-0%	83-0%	96-20%	96-3%	92-14%	94-3%
Jung 225 TDE	93-0%	94-0%	93-0%	94-0%	92-21%	90-11%	92-19%	87-11%
Jung 3904 REGHE	X	X	X	X	97-18%	95-10%	97-16%	93-10%
Legrand 665114 U	79-0%	83-0%	79-0%	83-0%	96-10%	96-0%	92-5%	94-0%
Legrand 574319/574339 U	79-0%	83-0%	79-0%	83-0%	96-10%	96-0%	92-5%	94-0%
Legrand 572239/572739 U	79-0%	83-0%	79-0%	83-0%	96-10%	96-0%	92-5%	94-0%
Legrand 078407/079207 U	79-0%	83-0%	79-0%	83-0%	96-10%	96-0%	92-5%	94-0%
Legrand 048869/048871 U	79-0%	83-0%	79-0%	83-0%	96-10%	96-0%	92-5%	94-0%

Dimmerkompatibilitätsliste

Leuchtmittel (LO-VINTBIR-7WD, LO-VINTGLOB-7WD, LO-FROGLOB-9WD, LO-FROGLOB-12WD)

Spalte1 ▶ dimmbar ab 1 Lampe | Spalte2 ▶ dimmbar ab 4 Lampen

Dimmer	LO-VINTBIR-7WD		LO-VINTGLOB-7WD		LO-FROGLOB-9WD		LO-FROGLOB-12WD	
	Spalte1	Spalte2	Spalte1	Spalte2	Spalte1	Spalte2	Spalte1	Spalte2
Legrand 048869/048871 U	79-0%	83-0%	79-0%	83-0%	96-10%	96-0%	92-5%	94-0%
Legrand 770062 RLC	83-0%	100-0%	83-0%	100-0%	85-0%	85-0%	83-0%	83-0%
Master DM-DGL U/LED	88-30%	99-43%	88-30%	99-43%	97-45%	100-45%	X	X
Master DM-2500 U/LED	90-0%	98-0%	90-0%	98-0%	98-0%	100-0%	99-0%	97-0%
Merten MEG5134-0000	X	X	X	X	91-14%	88-10%	89-14%	85-10%
Merten MEG5139-0000	85-0%	75-0%	85-0%	75-0%	93-0%	96-14%	91-0%	93-15%
Merten MEG5137-0000	X	X	X	X	92-23%	92-14%	93-19%	88-13%
Merten MEG5133-0000	79-0%	78-0%	79-0%	78-0%	91-0%	94-6%	90-0%	91-8%
Merten MEG5138-0000	88-0%	X	88-0%	X	98-7%	96-5%	96-5%	93-5%
Merten MEG5170-0300 U	89-0%	X	89-0%	X	X	X	85-15%	X
Merten MEG 5131 L	69-0%	75-0%	69-0%	75-0%	92-0%	96-0%	91-0%	94-0%
Merten MEG 5132	69-0%	75-0%	69-0%	75-0%	92-0%	96-0%	91-0%	94-0%
Merten MEG 5140 L	67-0%	78-0%	67-0%	78-0%	84-0%	90-0%	83-0%	86-0%

Dimmerkompatibilitätsliste

Leuchtmittel (LO-VINTBIR-7WD, LO-VINTGLOB-7WD, LO-FROGLOB-9WD, LO-FROGLOB-12WD)

Spalte1 ▶ dimmbar ab 1 Lampe | Spalte2 ▶ dimmbar ab 4 Lampen

Dimmer	LO-VINTBIR-7WD		LO-VINTGLOB-7WD		LO-FROGLOB-9WD		LO-FROGLOB-12WD	
Merten MEG 5135 L	90-0%	99-0%	90-0%	99-0%	100-0%	99-0%	99-0%	98-0%
MK K4501 L	94-0%	100-0%	94-0%	100-0%	80-3%	88-7%	80-3%	86-7%
Nexus 881P-01 L	82-0%	96-0%	82-0%	96-0%	94-0%	99-0%	79-0%	97-0%
Niko 310-0190001901 U	94-0%	100-0%	94-0%	100-0%	99-0%	100-0%	100-0%	97-0%
Odace S520512	X	X	X	X	91-14%	88-10%	89-14%	85-10%
Odace S520511	79-0%	78-0%	79-0%	78-0%	91-0%	94-6%	90-0%	91-8%
Odace S520515	88-0%	X	88-0%	X	98-7%	96-5%	96-5%	93-5%
Odace S520518	67-0%	78-0%	67-0%	78-0%	84-0%	90-0%	83-0%	86-0%
Osram HTi DALI 315 DIM DALI-T	94-0%	94-0%	94-0%	94-0%	99-7%	99-7%	X	97-6%
Peha 435 HAN L	66-0%	78-0%	66-0%	78-0%	83-4%	86-2%	82-4%	84-2%
Schneider 400GLI T	69-0%	69-0%	69-0%	69-0%	83-0%	91-6%	X	88-4%
Schneider SBD200LED	X	X	X	X	91-14%	88-10%	89-14%	85-10%
Schneider SBD600RCRL	85-0%	75-0%	85-0%	75-0%	93-0%	96-14%	91-0%	93-15%

Dimmerkompatibilitätsliste

Leuchtmittel (LO-VINTBIR-7WD, LO-VINTGLOB-7WD, LO-FROGLOB-9WD, LO-FROGLOB-12WD)

Spalte1 ▶ dimmbar ab 1 Lampe | Spalte2 ▶ dimmbar ab 4 Lampen

Dimmer	LO-VINTBIR-7WD		LO-VINTGLOB-7WD		LO-FROGLOB-9WD		LO-FROGLOB-12WD	
	Spalte1	Spalte2	Spalte1	Spalte2	Spalte1	Spalte2	Spalte1	Spalte2
Schneider SBD630RC	X	X	X	X	92-23%	92-14%	93-19%	88-13%
Schneider 600RL	79-0%	78-0%	79-0%	78-0%	91-0%	94-6%	90-0%	91-8%
Schneider SBD420RCRL	88-0%	X	88-0%	X	98-7%	96-5%	96-5%	93-5%
Schneider 5170	89-0%	X	89-0%	X	X	X	85-15%	X
Schneider SBD400RL	69-0%	75-0%	69-0%	75-0%	92-0%	96-0%	91-0%	94-0%
Schneider SBDSPL	67-0%	78-0%	67-0%	78-0%	84-0%	90-0%	83-0%	86-0%
Schneider ATTD1000RL	90-0%	99-0%	90-0%	99-0%	100-0%	99-0%	99-0%	98-0%
Shuttle SDIM-T-LED-500W T & LED-T	89-0%	99-0%	89-0%	99-0%	93-2%	96-2%	94-2%	93-3%
Siemens 5TC8 284 T	64-0%	58-0%	64-0%	58-0%	78-20%	64-3%	75-14%	61-3%
theben DIMAX 534 plus T	90-0%	99-0%	90-0%	99-0%	100-6%	99-6%	97-6%	97-0%
Vadsbo LD220 U	90-0%	99-0%	90-0%	99-0%	100-0%	X	99-0%	X
Vari Light HQ3W	92-1%	99-1%	92-1%	99-1%	85-18%	84-19%	83-18%	X
Vimar 20135 U	94-0%	100-0%	94-0%	100-0%	97-2%	96-3%	94-2%	92-2%

Dimmerkompatibilitätsliste

Leuchtmittel (LO-VINTBIR-7WD, LO-VINTGLOB-7WD, LO-FROGLOB-9WD, LO-FROGLOB-12WD)

Spalte1 ▶ dimmbar ab 1 Lampe | Spalte2 ▶ dimmbar ab 4 Lampen

Dimmer	LO-VINTBIR-7WD		LO-VINTGLOB-7WD		LO-FROGLOB-9WD		LO-FROGLOB-12WD	
Zano WH251	X	98-0%	X	98-0%	67-0%	97-0%	65-0%	94-0%
Zano Z GRID 600 T	87-0%	98-0%	87-0%	98-0%	92-0%	100-0%	93-0%	97-0%
Zano Z GRID 500	81-0%	96-0%	81-0%	96-0%	95-0%	100-0%	74-0%	96-0%